

1/19

MMSTABILITY6 IN Dil1 @37°C.




FIG.1A

MMSTABILITY6 IN Dil2 @37°C.




FIG.1B

MMSTABILITY6 IN Dil3 @37°C.




FIG.1C

2/19

MMSTABILITY6 IN Di14 @37°C.




FIG.1D

MMSTABILITY6 IN Di15 @37°C.




FIG.1E

MMSTABILITY6 IN Di16 @37°C.




FIG.1F

3/19

MMSTABILITY6 IN DiI7 @37°C.




FIG.1G

MMSTABILITY6 IN DiI8 @37°C.




FIG.1H

MMSTABILITY6 IN DiI9 @37°C.




FIG.1I

4/19




FIG.1J




FIG.1K




FIG.1L

5/19

MMSTABILITY6 IN Di113 @37°C.




FIG.1M

MMSTABILITY6 IN Di114 @37°C.




FIG.1N

MMSTABILITY6 IN Di115 @37°C.




FIG.1O

6/19




FIG.1P

7/19

MMSTABILITY6 IN Dil1 @2-8°C.




FIG.2A

MMSTABILITY6 IN Dil2 @2-8°C.




FIG.2B

MMSTABILITY6 IN Dil3 @2-8°C.




FIG.2C

8/19

MMSTABILITY6 IN DiI4 @2-8°C.




FIG.2D

MMSTABILITY6 IN DiI5 @2-8°C.




FIG.2E

MMSTABILITY6 IN DiI6 @2-8°C.




FIG.2F



9/19

MMSTABILITY6 IN DiI7 @2-8°C.




FIG.2G

MMSTABILITY6 IN DiI8 @2-8°C.




FIG.2H

MMSTABILITY6 IN DiI9 @2-8°C.




FIG.2I

10/19




FIG.2J




FIG.2K







FIG.2L



12/19




FIG.2P

13/19

MMSTABILITY7 IN Di1 @37°C.




FIG.3A

MMSTABILITY7 IN Di2 @37°C.




FIG.3B

MMSTABILITY7 IN Di3 @37°C.




FIG.3C

14/19

MMSTABILITY7 IN Di14 @37°C.




FIG.3D

MMSTABILITY7 IN Di15 @37°C.




FIG.3E

MMSTABILITY7 IN Di16 @37°C.




FIG.3F

15/19

MMSTABILITY7 IN DiI7 @37°C.




FIG.3G

MMSTABILITY7 IN DiI8 @37°C.




FIG.3H

MMSTABILITY7 IN DiI9 @37°C.




FIG.3I

16/19




FIG.3J




FIG.3K







FIG.3L



17/19






FIG.3P




FIG.3Q




FIG.3R

19/19

